

## Supramolecular Polymerization: Its Significance and Applications



## 相田 卓三 教授 東京大学大学院工学系研究科 化学生命工学専攻


## 日時: 2020年3月6日(金) 16:00-場所: 分子科学研究所 研究棟201


About a century ago, Dr. Hermann Staudinger substantiated the existence of ultralong molecules and won the longterm debate against the colloidal theory to establish polymer science. Needless to say, polymer science has made tremendous contributions to the progress of human society, although it coincidentally brought about a critical environmental issue to tackle. In this lecture, I would like to present the significance and applications of supramolecular polymerization, a modernized version of the colloidal approach to


polymeric materials. Supramolecular polymers attract attention not only because they are 100% recyclable but also they can be designed to be environmentally friendly, self-healable, responsive, and/or adaptive [1-3]. In 1988, we reported the first prototype of supramolecular polymerization, featuring the formation of a 1D polymeric assembly using an amphiphilic porphyrin with water-soluble oligoether side chains as the monomer and have made fundamental contributions to this field [4]. Representative examples include (1) nanotubular supramolecular polymerization, (2) chaingrowth supramolecular polymerization, (3) supramolecular block copolymerization, (4) stereoselective supramolecular polymerization, and (5) thermally bisignate supramolecular polymerization. These contributions are integral elements of conventional polymer science, filling in the critical gap between supramolecular and conventional polymerizations. Furthermore, we have expanded the basic concept of supramolecular polymerization into the noncovalent design of innovative soft materials. Successful examples include the developments of (i) bucky gels, (ii) aquamaterials, (iii) mechanically robust yet self-healable materials [5, 6], (iv) supramolecular polymers of biomolecular machines, (v) ferroelectric columnar liquid crystals, and (vi) reorganizable and adaptive core-shell columnar liquid crystals [7]. I will highlight some of these examples to show the significance of supramolecular polymerization for the realization of sustainable society.

## REFERENCES

- [1] Aida, Meijer, Stupp, *Science* **2012**, 335, 813-817.
- [2] Aida, Meijer, *Israel J. Chem.*, in press.
- [3] Aida, *Adv. Mat.* (Essay), in press (doi.org/10.1002/adma. 201905445).
- [4] Aida, Takemura, Fuse, Inoue, *Chem. Commun.* **1988**, 391.
- [5] Yanagisawa, Nan, Okuro, Aida, *Science* **2018**, 359, 72–76.
- [6] Yamagishi, Sato, Hori, Sato, Matsuda, Kato, Aida, *Science* **2018**, 361, 1242–1246.
- [7] Yano, Itoh, Araoka, Watanabe, Hikima, Aida, *Science* **2019**, 363, 161–165.







所内対応者 : 椴山 儀恵、小林 玄器 (2019年度コロキウム委員)