

Light Source Developments by Using Relativistic Electron Beams

UVSOR Synchrotron Facility Division of Advanced Accelerator Research



KATOH, Masahiro
Project Professor
[mkatoh@ims.ac.jp]

Education

1982 B.S. Tohoku University
1997 Ph.D. Tohoku University

Professional Employment

1986 Research Associate, National Laboratory for High Energy Physics
2000 Associate Professor, Institute for Molecular Science
2004 Professor, Institute for Molecular Science
Professor, The Graduate University for Advanced Studies
2019 Professor, Hiroshima University
Project Professor, Institute for Molecular Science

Member

Assistant Professor
FUJIMOTO, Masaki*

Keywords

Accelerator, Beam Physics, Synchrotron Radiation

UVSOR is a synchrotron light source providing low energy synchrotron light ranging from terahertz waves to the soft X-rays. Although it was constructed nearly 40 years ago, its performance is still in the world top level particularly among the low energy synchrotron light sources. This is the result of the continuous efforts on improving the machine. Our research group has been developing and introducing new accelerator technologies toward producing brighter synchrotron light with high stability, such as low emittance electron beam optics, novel insertion devices or state-of-the-art beam injection scheme. We have been developing novel light source technologies, such as free electron laser, coherent synchrotron radiation, optical vortices and laser Compton gamma-rays. We have been investigating beam physics which would be the basis of the future developments of the facility.




Figure 1. UVSOR-III Electron Storage Ring and Synchrotron Radiation Beamlines.

Selected Publications

- S. Bielawski, C. Evain, T. Hara, M. Hosaka, M. Katoh, S. Kimura, A. Mochihashi, M. Shimada, C. Szwaj, T. Takahashi and Y. Takashima, "Tunable Narrowband Terahertz Emission from Mastered Laser-Electron Beam Interaction," *Nat. Phys.* **4**, 390–393 (2008).
- M. Shimada, M. Katoh, M. Adachi, T. Tanikawa, S. Kimura, M. Hosaka, N. Yamamoto, Y. Takashima and T. Takahashi, "Transverse-Longitudinal Coupling Effect in Laser Bunch Slicing," *Phys. Rev. Lett.* **103**, 144802 (2009).
- M. Katoh, M. Fujimoto, H. Kawaguchi, K. Tsuchiya, K. Ohmi, T. Kaneyasu, Y. Taira, M. Hosaka, A. Mochihashi and Y. Takashima, "Angular Momentum of Twisted Radiation from an Electron in Spiral Motion," *Phys. Rev. Lett.* **118**, 094801 (2017).
- S. Matsuba, K. Kawase, A. Miyamoto, S. Sasaki, M. Fujimoto, T. Konomi, N. Yamamoto, M. Hosaka and M. Katoh, "Generation of Vector Beam with Tandem Helical Undulators," *Appl. Phys. Lett.* **113**, 021106 (2018).
- Y. Hikosaka, T. Kaneyasu, M. Fujimoto, H. Iwayama and M. Katoh, "Coherent Control in the Extreme Ultraviolet and Attosecond Regime by Synchrotron Radiation," *Nat. Commun.* **10**, 4988 (2019).
- T. Kaneyasu, Y. Hikosaka, M. Fujimoto, H. Iwayama and M. Katoh, "Electron Wave Packet Interference in Atomic Inner-Shell Excitation," *Phys. Rev. Lett.* **126**, 1132202 (2021).
- T. Kaneyasu, M. Hosaka, A. Mano, Y. Takashima, M. Fujimoto, E. Salehi, H. Iwayama, Y. Hikosaka and M. Katoh, "Double-Pulsed Wave Packets in Spontaneous Radiation from a Tandem Undulator," *Sci. Rep.* **12**, 9682 (2022).

1. Light Source Technology Developments Based on Laser and Synchrotron

We have been developing light source technologies at the UVSOR-III electron storage ring using a dedicated experimental station BL1U, which was constructed under the support of Quantum Beam Technology Program of JST/MEXT aiming to develop novel light sources and exploring their applications. The BL1U is equipped with two undulators which constitute an optical klystron, a laser system which is synchronized with the accelerator beam and a dedicated beamline consisting of mirrors and a monochromator whose arrangement can be flexibly changed according to the types of the experiments.

In collaboration with Hiroshima Univ. and Nagoya Univ., we have succeeded in producing spatially structured synchrotron radiation such as vortex beam and vector beam, and we are exploring their applications. In these years, we are focusing on exploring the possibility utilizing the temporal structure of undulator radiation, in collaboration with Saga Light Source and Toyama Univ. We have succeeded in the coherent controls of atoms and in observing ultrafast change of an electronic state of an atom by using radiation from two undulators arranged in tandem. We have started developing state-of-the-art technology to observe ultrafast properties of synchrotron radiation, in collaboration with Toyota Technological Institute.

We have been developing a laser Compton scattering gamma-ray source at BL1U, which is capable of producing monochromatic and energy-tunable gamma-rays. Currently we are interested in controlling the wave properties of gamma-ray photons. Theoretically we have shown that vortex photons carrying orbital angular momentum can be produced by nonlinear Compton scattering of circularly polarized photons. We are challenging its experimental demonstration.

We continue experimental studies on the origin of the homochirality of biomolecules using intense circularly polarized undulator radiation at BL1U, in collaboration with Yokohama National Univ. and Hiroshima Univ. Recently we have started a new project on this subject, which includes specialist of plasma physics from NIFS.




Figure 2. Twin Polarization-variable Undulators/Optical Klystron at UVSOR-III.

2. Accelerator Technology Developments for Electron Synchrotrons

We carried out several upgrade plans on UVSOR electron synchrotron since 2000. We designed a special beam optics intended to higher brightness. We developed necessary accelerator components, reconstructed the accelerator and commissioned it. We have constructed and commissioned six undulators successfully. Moreover, we have been continuously introducing new accelerator technologies such as the top-up operation in which the electron beam intensity is kept quasi-constant at a high beam current, 300mA, and the novel beam injection scheme with a pulsed sextupole magnet. As the result of all these efforts, now, the machine is one the brightest synchrotron light sources among the low energy machines below 1GeV in the world.

Currently, the storage ring is stably operated for many of the users, however, the requirements from the users for the stability is getting higher and higher. As a near-term upgrade plan, we are considering replacing some of the undulators to fit the changes of the users' requirements on the wavelength. Also, we are seeking a possibility to reduce the emittance with the present magnet configuration. So far, we have found a few beam optics which would give lower emittance around 10 nm. Although they are not compatible with the operation of the narrow gap undulators, they may be used for special experiments which requires lower emittance. For a long-term plan, we continue the design study on a new light source facility. We have been investigating various accelerator systems such as a diffraction-limited synchrotron, an energy recovery linear accelerator and so on. Currently we are focusing on designing a synchrotron with the electron energy of 1 GeV and the circumference of around 70 m. We have designed a synchrotron which would give low emittance of around 5 nm under the achromatic condition.

We are collaborating with Nagoya Univ. and developing new technologies for the future plan. Accelerator magnets based on permanent magnets are being developed, which would contribute to the power consumption saving. New pulsed multipole magnet is also being developed to realize a novel beam injection scheme.




Figure 3. UVSOR BL1U experimental station for source development studies.

* Present Address; Nagoya University