

CONTENT

| | |
|-------------------------------------|------------|
| IMS 2001 | iii |
| CONTENT | v |
| ORGANIZATION AND STAFF | 1 |
| COUNCIL | 13 |
| BUILDINGS AND CAMPUS | 15 |
| RESEARCH ACTIVITIES I | 17 |

Department of Theoretical Studies

| | |
|---|-----------|
| I-A Prediction of Protein Tertiary Structures from the First Principles | 17 |
| I-A-1 Multicanonical Monte Carlo Simulation of a Small Peptide in Aqueous Solution Based on the RISM Theory | 17 |
| I-A-2 Replica-Exchange Multicanonical and Multicanonical Replica-Exchange Monte Carlo Simulations of a Small Peptide | 17 |
| I-A-3 Examination of Parallel Simulated Annealing Using Genetic Crossover | 17 |
| I-A-4 Solvent Effects on the Free Energy Landscape of a Short Peptide | 17 |
| I-A-5 Comparison of the Numerical Efficiency of Three New Generalized-Ensemble Algorithms for Conformational Sampling of a Peptide in Explicit Water | 17 |
| I-B Development of Simulation Algorithms for Complex Systems | 18 |
| I-B-1 Generalized-Ensemble Simulations for Systems with First-Order Phase Transition | 18 |
| I-B-2 Lig Cluster Structures Studied by <i>Ab Initio</i> Replica-Exchange Monte Carlo Method | 18 |
| I-C Theoretical Studies of Chemical Reaction Dynamics | 19 |
| I-C-1 Quantum Reaction Dynamics of $O(^3P) + HCl$ on a New <i>ab initio</i> Potential Energy Surface .. | 19 |
| I-C-2 Quantum-Classical Correspondence in the $O(^3P) + HCl$ and $Cl(^2P) + OH$ Reactions for Total Angular Momentum $J = 0$ | 19 |
| I-C-3 Cumulative Reaction Probability and Reaction Eigenprobabilities from Time-Independent Quantum Scattering Theory | 19 |
| I-C-4 Photo-Dynamics and Reaction Dynamics of Molecules (Satellite of ICPEC XXI) | 19 |
| I-C-5 New Implementation of the Trajectory Surface Hopping Method with Use of the Zhu-Nakamura Theory | 20 |
| I-C-6 Significant Improvement of the Trajectory Surface Hopping Method by the Zhu-Nakamura Theory | 20 |
| I-C-7 Accurate Quantum Dynamics of Electronically Nonadiabatic Chemical Reactions in the DH_2^+ System | 20 |
| I-D Theory of Nonadiabatic Transitions | 20 |
| I-D-1 Nonadiabatic Dynamics: Transitions Between Asymptotically Degenerate States | 20 |
| I-D-2 Nonadiabatic Transitions due to Curve Crossings: Complete Solutions of the Landau-Zener-Stueckelberg Problems and Their Applications | 20 |
| I-D-3 New Type of Nonadiabatic Dynamics: Transitions between Asymptotically Degenerate States | 21 |
| I-E Laser Control of Molecular Processes | 21 |
| I-E-1 Laser Control of Molecular Photodissociation with Use of the Complete Reflection Phenomenon | 21 |
| I-E-2 New Way of Controlling Molecular Processes by Lasers | 21 |
| I-E-3 Selective Excitation Among Closely Lying Multi-Levels | 22 |
| I-E-4 Control of Molecular Processes by a Train of Linearly Chirped Pulses: Selective and Complete Excitation | 22 |
| I-F Theory of Multi-Dimensional Tunneling | 22 |
| I-F-1 Practical Implementation of the Instanton Theory for the Ground State Tunneling Splitting .. | 22 |
| I-G New Methods for Scattering Calculation | 22 |
| I-G-1 Stable and Efficient Evaluation of Green's Function in Scattering Problem | 22 |
| I-G-2 Use of Diabatic Basis in the Adiabatic-By-Sector R-Matrix Propagation Method in Time-Independent Reactive Scattering Calculations | 22 |
| I-G-3 Regularization of Scattering Calculations at R-Matrix Poles | 23 |
| I-H Theoretical Study of Dissociative Attachment | 23 |
| I-H-1 Study of Dissociative Electron Attachment to HI Molecule by Using R-Matrix Representation for Green's Function | 23 |

| | |
|--|-----------|
| I-I Theoretical Studies of Ultrafast Nonlinear Optical Spectroscopy of Molecules in Condensed Phases | 24 |
| I-I-1 Two-Dimensional Spectroscopy and the Harmonically Coupled Anharmonic Oscillators | 24 |
| I-I-2 Two-Dimensional Raman and Infrared Signals Measured from Different Phase-Matching Conditions | 24 |
| I-I-3 Nonequilibrium Initial Conditions of a Brownian Oscillator System Observed by Two-Dimensional Spectroscopy | 24 |
| I-I-4 Higher-Order Vibrational Correlation Functions of a Single Harmonic Oscillator Nonlinearly Coupled with a Thermal Bath I: Gauss-White Noise Case | 24 |
| I-I-5 Higher-Order Vibrational Correlation Functions of a Single Harmonic Oscillator Nonlinearly Coupled with a Thermal Bath II: Gauss-Markov Noise Case | 25 |
| I-I-6 Two-Dimensional Spectroscopy for a Two-Dimensional Rotator in a Dissipative Environment | 25 |
| I-I-7 Two-Dimensional Spectroscopy for Molecular Vibration: An Analysis of Potential Surfaces in a Dissipative Environment | 25 |
| I-J The Condensed Phase Quantum Dynamics of Molecules and Atoms | 25 |
| I-J-1 Quantum Theory of Two-Dimensional Rotator in a Dissipative Environment: Application to Infrared Spectroscopy | 25 |
| I-J-2 Two Time Correlation Function of a Two-Dimensional Quantal Rotator in a Colored Noise | 26 |
| I-J-3 Coherent Control of Nonclassical Effects in Quantum Optical Three-Level Atomic System | 26 |
| I-K Theoretical Studies of Correlated Electron Systems | 26 |
| I-K-1 Biorthogonal Approach for Explicitly Correlated Calculations Using the Transcorrelated Hamiltonian | 26 |
| I-L Development of Techniques for Prediction of Conformations and Applications to Proteins and Organic Compounds | 27 |
| I-L-1 Contact Maps Derived from the Statistics of Average Distances between Residues in Proteins. Application to the Prediction of Structures and Active-Sites of Protein and Peptides | 27 |
| I-L-2 Prediction of Protein 3D Folding Properties in Genome Sequences Based on the Statistics of Average Distances between Residues | 27 |
| I-L-3 Identification of Novel Potent Inhibitors for ATP-Phosphoribosyl Transferase Using Three-Dimensional Structural Database Search Technique | 27 |
| I-L-4 Complex Formation of Chitosan with Iodine and Its Structure and Spectroscopic Properties—Molecular Assembly and Thermal Hysteresis Behavior | 28 |
| I-M Electronic Properties of Nanostructured Materials | 29 |
| I-M-1 Electronic Structure of K-Doped Carbon Nanotubes | 29 |
| I-M-2 Geometries, Electronic Properties, and Energetics of Isolated Single Walled Carbon Nanotubes | 29 |
| I-N Theoretical Analyses on Nonlinear Behavior of Complex Systems | 30 |
| I-N-1 Long-range Interaction between Hydrophilic Surfaces Immersed in a Hydrophobic Fluid Containing a Hydrophilic Component at Low Concentration | 30 |
| I-N-2 Statistical-Mechanical Analysis on Entropically Driven Formation of Ordered Structure | 30 |
| I-N-3 Depletion Effects on the Lock and Key Steric Interactions between Macromolecules | 30 |
| I-N-4 Improvement of the Reference Interaction Site Model Theory for Calculating the Partial Molar Volume of Amino Acids and Polypeptides | 30 |
| I-N-5 Spatial Distribution of Depletion Potential between a Big Solute of Arbitrary Geometry and a Big Sphere Immersed in Small Spheres | 31 |
| I-O Electronic Structures of Polymers and Organic Molecular Crystals | 32 |
| I-O-1 Charge Carriers and Semiconductor-Metal Transition in Doped Conducting Conjugated Polymers | 32 |
| I-O-2 First-Principles Study of Polydiacetylene | 32 |
| I-O-3 Role of Intramolecular Charge Distribution on Neutral-Ionic Transition of Tetrathiafulvalene- <i>p</i> -Chloranil | 32 |
| I-P Electronic Structure of a Molecule in Solution | 33 |
| I-P-1 Theoretical Study on the Structures and Energies of Acetic Acid Dimers in Aqueous Solution | 33 |
| I-P-2 Realization of Three-Dimensional Solvation Structures from the Site-Site Radial Distribution Functions in Liquids | 33 |
| I-P-3 Solvent Effect on the Nuclear Magnetic Shielding: Ab initio Study by the Combined Reference Interaction Site Model and Electronic Structure Theories | 34 |
| I-Q Solvation Thermodynamics of Protein and Related Molecules | 34 |
| I-Q-1 Hydration Structure and Stability of Met-Enkephalin Studied by a Three-Dimensional Reference Interaction Site Model with a Repulsive Bridge Correction and a Thermodynamic Perturbation Method | 34 |

| | |
|--|-----------|
| I-Q-2 Theoretical Study for Partial Molar Volume of Amino Acids and Poly-Peptides by the Three-Dimensional Reference Interaction Site Model ----- | 35 |
| I-Q-3 Theoretical Study for Volume Changes Associated with the Helix-Coil Transition of Polypeptides ----- | 35 |
| I-R Collective Density Fluctuations in Polar Liquids and Their Response to Ion Dynamics ----- | 35 |
| I-R-1 Site-Site Mode-Coupling Theory for the Shear Viscosity of Molecular Liquids ----- | 36 |
| I-R-2 Solute-Shape Dependence in Solvation Dynamics: Investigated by RISM Theory ----- | 36 |
| I-R-3 Nonlinear Response of Solvent Molecules Induced by Instantaneous Change of Solute Electronic Structure: Studied by RISM Theory ----- | 36 |
| I-R-4 Average Energy Relaxation and Rearrangement of Solute-Solvent Radial Distribution Function in Solvation Dynamics: A Connection between Spectroscopic Results and RISM Theory ----- | 36 |
| I-S Developing Theories of Liquids and Liquid Mixtures ----- | 37 |
| I-S-1 Integral Equations for Molecular Fluids Based on Interaction Site Model: Density-Functional Formulation ----- | 37 |
| I-S-2 A Replica Reference Interaction Site Model Theory for a Polar Molecular Liquid Sorbed in a Disordered Microporous Material with Polar Chemical Groups ----- | 37 |
| I-S-3 First-Principles Realization of a van der Waals-Maxwell Theory for Water ----- | 37 |
| I-S-4 Thermochemistry of Solvation: A Self-Consistent Three-Dimensional Reference Interaction Site Model Approach ----- | 37 |
| I-T Charge-Transfer Excitations and Fluctuations in Quasi-One-Dimensional Organic Conductors ----- | 39 |
| I-T-1 Intra- and Inter-Chain Excitations near a Quantum Phase Transition in Quasi-One-Dimensional Conductors ----- | 39 |
| I-T-2 Collective Excitations and Confinement in the Excitation Spectra of the Spinless-Fermion Model on a Ladder ----- | 39 |
| I-T-3 Quantum and Thermal Charge-Transfer Fluctuations for Neutral-Ionic Phase Transitions in the One-Dimensional Extended Hubbard Model with Alternating Potentials ----- | 39 |
| I-T-4 Photoexcitations and Domain-Wall Dynamics near Neutral-Ionic Transitions ----- | 40 |
| I-T-5 New Photoinduced Phenomenon in Polymers ----- | 40 |
| I-U Cooperation or Competition between Electron Correlation and Lattice Effects in One-Dimensional π-<i>d</i> Electron Systems ----- | 40 |
| I-U-1 Strong Commensurability Effect on Metal-Insulator Transition in (DCNQI) ₂ Cu ----- | 40 |
| I-U-2 Optical Excitations in XMMX Monomers and MMX Chains ----- | 40 |
| I-U-3 Ground State Phases and Optical Properties in Extended Peierls-Hubbard Models for Halogen-Bridged Binuclear Metal Complexes ----- | 41 |
| I-V Charge Order, Lattice Distortion and Magnetism in Two-Dimensional Organic Conductors and Metal-Complexes ----- | 41 |
| I-V-1 Optical Conductivity for Possible Ground States of Dimerized Two-Band Pd(dmit) ₂ Salts ----- | 41 |
| I-V-2 Charge Ordering Patterns and Their Excitation Spectra in Two-Dimensional Charge-Transfer Compounds ----- | 41 |
| I-V-3 Paramagnetic Charge-Ordered States by Cooperation of Coulomb Repulsion with Electron-Lattice Coupling ----- | 42 |
| I-W Vortices in the Mixed State of High-Temperature Cuprate Superconductors ----- | 42 |
| I-W-1 Signature of the Staggered Flux State around a Superconducting Vortex in Underdoped Cuprates ----- | 42 |
| RESEARCH ACTIVITIES II ----- | 45 |
| Department of Molecular Structure | |
| II-A Picosecond Transient Infrared Studies on Excited States of Donor-Acceptor Systems ----- | 45 |
| II-A-1 Picosecond Infrared Spectrum of 4-(Pyrrol-1-yl)benzonitrile: Structure of the Excited Charge-Transfer States of Donor-Acceptor Systems ----- | 45 |
| II-A-2 Picosecond Infrared Spectra and Structure of Locally Excited and Charge Transfer Excited States of Isotope Labeled 4-(Dimethylamino)benzonitriles ----- | 45 |
| II-B Laser Cooling and Trapping of Metastable Helium Atoms ----- | 47 |
| II-B-1 Magneto-Optical Trap of Metastable Helium Atoms with Doughnut Laser Beams: Computer Simulations ----- | 47 |
| II-C Spectroscopic Studies on Atoms and Ions in Liquid Helium ----- | 47 |
| II-C-1 Investigation on the Difference between Spectra of Ca Atoms in Liquid ³ He and ⁴ He ----- | 47 |
| II-D Laser Spectroscopic Studies on Collisional Fine Structure Changing Transitions of Atoms and Ions ----- | 48 |
| II-D-1 Laser Spectroscopic Measurements of Fine Structure Changing Cross Sections of Ba ⁺ Ions in Collisions with He Atoms ----- | 48 |

| | |
|---|-----------|
| II-D-2 Measurements of Fine Structure Changing Cross Sections of Ca ⁺ , Sr ⁺ and Ba ⁺ Ions due to Collisions with H ₂ and D ₂ Molecules | 49 |
| II-E Endohedral Metallofullerenes: New Fullerene Molecules with Novel Properties | 50 |
| II-E-1 Structural Determination of the La@C ₈₂ Isomer | 50 |
| II-E-2 Structure of La ₂ @C ₈₀ Studied by La K-Edge XAFS | 50 |
| II-F Electron Transfer Regulation in a Tetraheme-Cytochrome, Cytochrome c₃ | 51 |
| II-F-1 A Simple, Rapid, and Highly Efficient Gene Expression System for Multiheme-Cytochromes c | 51 |
| II-F-2 Structure Determination of the Fully Reduced Cytochrome c ₃ From <i>D. vulgaris</i> Miyazaki F | 51 |
| II-G Application of Optical Vortices to Spectroscopy | 53 |
| II-G-1 Efficient Generation of Optical Vortices and the Application to Atom Manipulation | 53 |
| II-H Molecular and Electronic Structures of Metallofullerenes | 54 |
| II-H-1 High-Field/High-Frequency ESR Study of Gd@C ₈₂ | 54 |
| II-H-2 Spin State of an Inclusion Complex of a Cyclic Dimer of Metalloporphyrin with La@C ₈₂ | 54 |
| II-I High Field and Pulsed Electron Spin Resonance Spectroscopy | 55 |
| II-I-1 Radical Products in Mechanochemical Dechlorination of Hazardous Organochlorine on CaO Surface | 55 |
| II-I-2 Facile Synthesis, Crystal Structures, and High-Spin Cationic States of All- <i>para</i> -brominated Oligo(<i>N</i> -phenyl- <i>m</i> -aniline)s | 55 |
| II-J State Correlated Raman Spectroscopy | 56 |
| II-J-1 Probable Langevin-Like Director Reorientation in an Interface-Induced Disordered SmC*-Like State of Liquid Crystals Characterized by Frustration between Ferro- and Antiferroelectricity | 57 |
| II-J-2 Orientational Distributions in Smectic Liquid Crystals Showing V-Shaped Switching Investigated by Polarized Raman Scattering | 57 |
| RESEARCH ACTIVITIES III | 59 |

Department of Electronic Structure

| | |
|--|-----------|
| III-A Photochemical Synthesis of Exotic Organo-Metallic Clusters with Magnetic Properties | 59 |
| III-A-1 Photochemical Generation of Cluster Molecular Magnets: (CoCHCH ₂) ₄ | 59 |
| III-A-2 Magnetic Behavior of Single Molecular Magnets (Hydrated Carbon-Cobalt Clusters) Isolated in a Glassy Matrix of Cobaltocene and Its Derivatives Generated from Photochemical Reaction of (C ₅ H ₅)Co(CO) ₂ in Dichloromethane | 60 |
| III-A-3 Photochemical Generation of High Spin Clusters in Solution: (Cyclopentadienyl-Vanadium) _m O _n | 60 |
| III-B States of Neutral and Ionic Molecular Associates in Solutions | 61 |
| III-B-1 States of Molecular Associates in Binary Mixtures of Acetic Acid with Aprotic Polar Solvents: The Nature of Mixture States at Molecular Levels | 61 |
| III-B-2 Structure of Clusters in Methanol-Water Binary Solutions Studied by Mass Spectrometry and X-Ray Diffraction | 62 |
| III-C Ultrafast Dynamics and Structural Changes of Aromatic Cation Radicals | 62 |
| III-C-1 Ultrafast Relaxation Dynamics of Aromatic Cation Radicals Following Photoionization | 62 |
| III-D Spectroscopic and Dynamical Studies on Charge Delocalization and Charge Transfer in Molecular Cluster Ions | 63 |
| III-D-1 Photodissociation Spectroscopy of Benzene Cluster Ions in Ultraviolet and Infrared Regions. Static and Dynamic Behavior of Positive Charge in Cluster Ions | 63 |
| III-D-2 Infrared Photodissociation Spectroscopy of Protonated Formic Acid-Water Binary Clusters, H ⁺ ·(HCOOH) _n ·H ₂ O (<i>n</i> = 1–5). Spectroscopic Evidence of Ion Core Switch Model | 64 |
| III-D-3 Charge Transfer Interaction in Acetic Acid-Benzene Cation Complex | 64 |
| III-E Synthesis and Characterization of Metal Clusters | 66 |
| III-E-1 Development of Mass Spectrometer for Metal Clusters Dispersed in Liquid Phase | 66 |
| III-E-2 Mass Spectroscopic Characterization of Transition Metal Clusters Encapsulated by PAMAM Dendrimers | 66 |
| III-F Geometric and Electronic Structures of Negatively-Charged Molecular Clusters | 67 |
| III-F-1 <i>Ab initio</i> Study of CO ₂ ⁻ ·CO ₂ ⁻ ⇌ C ₂ O ₄ ⁻ Isomerization | 67 |
| III-F-2 <i>Ab initio</i> Study of (CO ₂) _n ⁻ : Structures and Stabilities of Isomers | 68 |
| III-F-3 Structural Evolution of Large (CO ₂) _n ⁻ Clusters as Studied by Mass Spectrometry | 68 |
| III-G Spectroscopy and Dynamics of Vibrationally Excited Molecules and Clusters | 70 |
| III-G-1 Picosecond Time-Resolved Infrared Spectra of Photo-Excited Phenol-(NH ₃) ₃ Cluster | 70 |
| III-G-2 Structure of Hydrogen-Bonded Clusters of 7-Azaindole Studied by IR Dip Spectroscopy and <i>Ab Initio</i> Molecular Orbital Calculation | 70 |

| | |
|---|-----------|
| III-G-3 Structures of Carbazole-(H ₂ O) _n (<i>n</i> = 1–3) Clusters Studied by IR Dip Spectroscopy and a Quantum Chemical Calculation ----- | 71 |
| III-G-4 Structure of 1-Naphthol/Alcohol Clusters Studied by IR Dip Spectroscopy and Ab Initio Molecular Orbital Calculations ----- | 71 |
| III-G-5 Structural and Dynamics of 9(10H)-Acridine and Its Hydrated Clusters. II Structural Characterization of Hydrogen-Bonding Networks ----- | 71 |
| III-G-6 Internal Methyl Group Rotation in <i>o</i> -Cresol Studied by Pulsed Field Ionization – ZEKE Photoelectron Spectroscopy ----- | 71 |
| III-G-7 Pulsed Field Ionization - ZEKE Spectroscopy of Cresoles and Their Aqueous Complex: Internal Rotation of Methyl Group and Intermolecular Vibrations ----- | 71 |
| III-G-8 Butterfly Vibration of the Tetrafluorobenzene Cation Studied by Pulsed Field Ionization – ZEKE Photoelectron Spectroscopy ----- | 72 |
| III-H Ultrafast Molecular Dynamics Studied by Time-Resolved Photoelectron Imaging ----- | 73 |
| III-H-1 Photoelectron Imaging on Time-Dependent Molecular Alignment Created by a Femtosecond Laser Pulse ----- | 73 |
| III-H-2 Femtosecond Photoelectron Imaging on Pyrazine: Spectroscopy of 3 <i>s</i> and 3 <i>p</i> Rydberg States ----- | 74 |
| III-H-3 Photoionization Dynamics of CO Studied by Photoelectron Imaging ----- | 74 |
| III-I Bimolecular Reaction Dynamics ----- | 75 |
| III-I-1 Differential Cross Sections for the Inelastic Scattering of NO (<i>X</i> ² Π _Q) by Ar Studied by Crossed Molecular Beam Ion-Imaging and Quantum Scattering Calculations ----- | 75 |
| III-J Structure and Properties of Polyoxometalates with a Magnetic, Electronic, or Biological Significance ----- | 76 |
| III-J-1 A Highly Nuclear Vanadium-Containing Tungstobismutate: Synthesis and Crystal Structure of K ₁₁ H[(BiW ₉ O ₃₃) ₃ Bi ₆ (OH) ₃ (H ₂ O) ₃ V ₄ O ₁₀].28H ₂ O ----- | 76 |
| III-J-2 Photochemical Self-Assembly Reaction of β-[Mo ₈ O ₂₆] ⁴⁻ to Mixed-Valence Cluster [Mo ₃₇ O ₁₁₂] ²⁶⁻ in Aqueous Media ----- | 76 |
| III-J-3 A Spherical Potassium-Capped Vanadium Methylphosphonate as Another ε-Keggin Fragment, [H ₆ KV ₁₂ O ₂₇ (VO ₄)(PO ₃ CH ₃) ₃] ⁵⁻ ----- | 76 |
| III-J-4 Chemical Structure and Intramolecular Spin-Exchange Interaction of [(VO) ₃ (SbW ₉ O ₃₃) ₂] ¹²⁻ ----- | 76 |
| III-J-5 Synthesis and Structure of Ln(W ₅ O ₁₈)-Capped Mixed-Ligand Polyoxotungstolanthanoate [Ln(W ₅ O ₁₈){Ln(H ₂ O) ₂ (SbW ₉ O ₃₃)(W ₅ O ₁₈)}] ¹⁵⁻ (Ln = Sm and Er) ----- | 77 |
| III-J-6 Three-Dimensional Inorganic/Organic Hybrid Material, [Ni ₂ (4,4'-bipy) ₃ (H ₂ O) ₂ V ₄ O ₁₂].2.5H ₂ O ----- | 77 |
| III-J-7 Molecular Aspect of Energy Transfer from Tb ³⁺ to Eu ³⁺ in Polyoxometalate Lattices: An Approach for Molecular Design of Rare-Earth Metal-Oxide Phosphors ----- | 77 |
| III-K Structure and Exited-State Dynamics of Aromatic Clusters ----- | 78 |
| III-K-1 Electronic Spectroscopy of 9(10H)-Acridone and Its Hydrated Clusters ----- | 78 |
| III-K-2 Characterization of Hydrogen-Bonding Networks in 9(10H)-Acridone and Its Hydrated Clusters ----- | 78 |
| III-K-3 Microscopic Solvation Effects on Nonradiative Dynamics in 9(10H)-Acridone and Its Hydrated Clusters ----- | 78 |
| III-K-4 Structural Characterization of 9-Cyanoanthracene-(Ar) _n (<i>n</i> = 0–3) ----- | 79 |
| III-K-5 Structural Characterization of 9-Cyanoanthracene-Water ----- | 79 |
| III-K-6 Structural Characterization of 1:1 van der Waals Complexes of 9-Cyanoanthracene with Aprotic Solvents ----- | 79 |
| III-K-7 Size Reassignments of the <i>S</i> ₁ – <i>S</i> ₀ Vibronic Spectra of Benzene Clusters ----- | 79 |
| RESEARCH ACTIVITIES IV ----- | 81 |
| Department of Molecular Assemblies | |
| IV-A Spectroscopic Study of Organic Conductors ----- | 81 |
| IV-A-1 Charge Ordering in θ-(BEDT-TTF) ₂ RbZn(SCN) ₄ Studied by Vibrational Spectroscopy --- | 81 |
| IV-A-2 Charge Disproportionation Ratio of (BEDT-TTF) ₃ CuBr ₄ Studied by a Molecular Vibration Frequency ----- | 81 |
| IV-A-3 Charge and Molecular Arrangement in (DI-DCNQI) ₂ Ag Studied by Vibrational Spectroscopy ----- | 82 |
| IV-A-4 The C=C Stretching Vibrations of κ-(BEDT-TTF) ₂ Cu[N(CN) ₂]Br and Its Isotope Analogues ----- | 82 |
| IV-A-5 Plasma Frequency and Optical Effective Mass of κ-(ET-d ₈) ₂ Cu(CN)[N(CN) ₂] ----- | 83 |
| IV-A-6 Charge Order in θ-(BDT-TTP) ₂ Cu(NCS) ₂ ----- | 83 |
| IV-A-7 Assignment of the In-Plane Molecular Vibrations of the Electron-Donor Molecule BDT-TTP Based on Polarized Raman and Infrared Spectra --- | 83 |

| | |
|--|------------|
| IV-A-8 Spectroscopic Study of the [0110] Charge Ordering in (EDO-TTF) ₂ PF ₆ ----- | 84 |
| IV-A-9 Structural and Spectroscopic Study of Quasi-One-Dimensional Organic Conductor, (BDTFP) ₂ X(C ₆ H ₅ Cl) _{0.5} (X = AsF ₆ , PF ₆) ----- | 84 |
| IV-A-10 Crystal Chemistry and Physical Properties of Superconducting and Semiconducting Charge Transfer Salts of the Type (BEDT-TTF) ₄ [A ^I M ^{III} (C ₂ O ₄) ₃] PhCN (A ^I = H ₃ O, NH ₄ , K; M ^{III} = Cr, Fe, Co, Al; BEDT-TTF = Bis(ethylenedithio) tetrathiafulvalene) ----- | 85 |
| IV-B Solid State Properties of Organic Conductors with π-d Interaction ----- | 85 |
| IV-B-1 Preparation and Characterization of Phthalocyanine-Based Organic Alloy Co _x Ni _{1-x} Pc(AsF ₆) _{0.5} (0 ≤ x ≤ 1) ----- | 86 |
| IV-B-2 Electronic States and Infrared Spectroscopy of Nickel and Cobalt Phthalocyanines: <i>Ab initio</i> Calculations for the Neutral and Cation States ----- | 86 |
| IV-B-3 Metal to Insulator Transition of One-Dimensional Bis(1,2-benzoquinonedioximato)- platinum(II), Pt(bqd) ₂ , at Low Temperatures and High Pressures ----- | 86 |
| IV-C Microscopic Investigation of Molecular-Based Conductors ----- | 87 |
| IV-C-1 Possible Successive SDW Transition in (EDT-TTF) ₂ AuBr ₂ ----- | 87 |
| IV-C-2 Magnetic Investigation of Organic Conductors Based on TTP Derivatives ----- | 87 |
| IV-C-3 Magnetic Properties of Organic Spin-Ladder Systems, (BDTFP) ₂ X(PhCl) _{0.5} ----- | 88 |
| IV-C-4 EPR Investigation of the Electronic States in β' -type [Pd(dmit) ₂] ₂ Compounds (Where dmit is the 1,3-dithia-2-thione-4,5-dithiolato) ----- | 88 |
| IV-C-5 Microscopic Investigation of Itinerant and Local Spins System, (CHTM-TTP) ₂ TCNQ ----- | 89 |
| IV-D Development of Magnetic Organic Superconductors and Related Systems ----- | 90 |
| IV-D-1 Magnetic-Field Induced Superconductivity in a Two-Dimensional Organic Conductor ----- | 90 |
| IV-D-2 Superconductivity in an Organic Insulator at Very High Magnetic Fields ----- | 90 |
| IV-D-3 Novel Electronic Property in Organic Conductor: Superconductivity Stabilized by High Magnetic Field ----- | 91 |
| IV-D-4 Field-Induced Superconducting Phase of λ -(BETS) ₂ Fe _x Ga _{1-x} Cl ₄ ----- | 91 |
| IV-D-5 Antiferromagnetic Ordering of Fe ³⁺ Ions in Organic Superconductor, κ -BETS ₂ FeCl _x Br _{4-x} ----- | 92 |
| IV-D-6 The <i>x</i> -Dependence of Electrical Properties and Antiferromagnetic Ordering between Fe ³⁺ Ions in κ -BETS ₂ Fe _{1-x} Ga _x Br ₄ System ----- | 92 |
| IV-D-7 Organic Antiferromagnetic Metals Exhibiting Superconducting Transitions κ -(BETS) ₂ FeX ₄ (X = Cl, Br): Drastic Effect of Halogen Substitution on the Successive Phase Transitions ----- | 92 |
| IV-D-8 A New Molecular Superconductor, κ -(BETS) ₂ TiCl ₄ ----- | 93 |
| IV-D-9 Structure and Physical Properties of Divalent Magnetic Anion Salts Based on BETS Molecule ----- | 93 |
| IV-D-10 Novel Molecular Metals Exhibiting Peculiar Magnetism Originating From Lanthanide <i>f</i> Electrons ----- | 94 |
| IV-E Crystal Structure Analyses at Low Temperature and/or High Pressure ----- | 94 |
| IV-E-1 Doubling of Lattice Constants of New Organic Superconductor κ -(BETS) ₂ TiCl ₄ ----- | 94 |
| IV-E-2 High-Pressure Structure of α -(BEDT-TTF) ₂ I ₃ ----- | 95 |
| IV-F Development of New Molecular Conductors ----- | 95 |
| IV-F-1 Molecular Design and Development of Single-Component Molecular Metals ----- | 96 |
| IV-F-2 Single Component Conductors Containing Magnetic Transition Metals ----- | 96 |
| IV-F-3 Synthesis, Structures and Properties of New Organic Donors Connecting to a TEMPO Radical Through a Pyrrolidine Ring ----- | 97 |
| IV-F-4 Synthesis, Structures and Properties of New TTF and TTP Donors Containing a PROXYL Radical ----- | 97 |
| IV-F-5 Syntheses, Structures and Physical Properties of New π -extended TTF Derivatives Containing an Organic Radical ----- | 97 |
| IV-G Field Effect Transistors with Organic Semiconductors ----- | 98 |
| IV-G-1 Electrical Properties of Phthalocyanine films Prepared by Electrophoretic Deposition ----- | 98 |
| IV-G-2 Field Effect Transistors with BTQBT Films ----- | 98 |
| IV-H Preparation and Characterization of Highly Ordered Molecular Films on Silicon Bound Through Si-C Covalent Bond ----- | 99 |
| IV-H-1 AFM Studies of Organic Monolayers on Silicon (111) Surfaces ----- | 99 |
| IV-I Nanolithography of Organic and Inorganic Materials for Molecular Scale Electronics ----- | 99 |
| IV-I-1 Microscopic Patterning on the Polysilane Films by the Laser Induced Grating Technique ----- | 99 |
| IV-I-2 AFM Lithography of Organic Monolayers Bound Covalently on Silicon ----- | 99 |
| IV-J Development of New Molecular Conductors ----- | 101 |
| IV-J-1 Synthesis and Properties of Novel Donor-Type Metal-Dithiolene Complexes Based on 5,6-dihydro-1,4-dioxin-2,3-dithiol (edo) Ligand ----- | 101 |
| IV-J-2 Structural and Physical Properties of Conducting Cation Radical Salts Containing Supramolecular Assemblies Based on <i>p</i> BIB Derivatives (<i>p</i> BIB = <i>p</i> -Bis(iodoethynyl)benzene) ----- | 102 |

| | |
|---|------------|
| IV-K Systematic Study of Organic Conductors | 103 |
| IV-K-1 Estimation of Off-Site Coulomb Integrals and Phase Diagrams of Charge Ordered States in the θ -Phase Organic Conductors | 103 |
| IV-K-2 Estimation of π -d Interactions in Organic Conductors Including Magnetic Anions | 103 |
| IV-K-3 Tetrathiapentalene Derivatives with Long Alkyl Chains | 104 |
| IV-K-4 TCNQ Complex with θ -Type Donor Arrangement: (TMET-TS-TTP) ₂ (TCNQ) | 104 |
| IV-K-5 Universal Phase Diagram of θ -Type TMET-TTP Salts | 104 |
| IV-K-6 Selenium Analogs of Tetrathiapentalene Derivatives with Long Alkyl Chains | 104 |
| IV-K-7 1:1 Composition Organic Metal Including a Magnetic Counteranion, (TTM-TTP)FeBr _{1.8} Cl _{2.2} | 105 |
| IV-K-8 Marginal Paramagnetic State of a One-Dimensional Half-Filled Alternating Chain in (TTM-TTP)AuI ₂ | 105 |
| IV-L Organic Synthesis for Molecular Electronic Devices | 106 |
| IV-L-1 "N-Fused Porphyrin": A New Tetrapyrrolic Porphyrinoid with A Fused Tri-Pentacyclic Ring | 106 |
| IV-L-2 Chemical Approach Toward Molecular Electronic Device | 106 |
| IV-L-3 Prospects and Problems of Single Molecule Information Devices | 106 |
| IV-L-4 Synthesis and Characterization of N-Confused Porphyrinatoantimony(V): Toward Low Energy Gap Molecular Wire | 107 |
| IV-L-5 N-Confused Double-Decker Porphyrins | 107 |
| IV-L-6 Electronic Conductive Characteristics of Devices Fabricated With 1,10-Decanedithiol And Gold Nano Particles Between 1000 nm Electrode Gaps | 107 |
| IV-L-7 Synthesis and Characterization of Photo-responsive Molecular Wires Based on Ruthenium Complex Moiety and Thiol Groups | 107 |
| IV-M Photoelectron Spectroscopy of Organic Solids in Vacuum Ultraviolet Region | 108 |
| IV-M-1 Calculation of Photoelectron Angular Distributions from ω -(n-pyrrolyl)alkanethiol Self-Assembled Monolayers for Different Molecular Orbitals of Pyrrole Group | 108 |
| IV-M-2 Calculated Photoelectron Angular Distributions of ω -(n-pyrrolyl)alkanethiol Self-Assembled Monolayers for Distinction between Different Arrangements of Pyrrole Groups | 108 |
| RESEARCH ACTIVITIES V | 109 |
| Department of Applied Molecular Science | |
| V-A Magnetic Structure of Oligo-Nitroxide-Transition Metal Complexes | 109 |
| V-A-1 Magnetic Properties of Layered Complexes [M(hfac) ₂] ₃ (R) ₂ , M = Mn(II) and Cu(II), with Trisnitroxide Radicals Having Various Metal-Radical Exchange Interactions | 109 |
| V-B Synthesis of Chiral Molecule-Based Magnets | 110 |
| V-B-1 Synthesis and Structure of Chiral Molecule-Based Three-Dimensional Ferrimagnet | 110 |
| V-C Synthesis and Characterization of Quantum-Spin Systems | 110 |
| V-C-1 Magnetic Properties of Organic Spin Ladder Systems | 111 |
| V-C-2 Observation of Magnetization Plateau of 1/4 in a Novel Double Spin Chain of Ferromagnetic Dimmers formed by an Organic Tetraradical | 111 |
| V-D Organic Ferrimagnetism | 111 |
| V-D-1 Approach to a Single-Component Ferrimagnetism by Organic Radical Crystals | 112 |
| V-E Pressure Effects on Molecular Magnetism | 112 |
| V-E-1 Pressure Effect on Mn Complexes of Bisaminoxyl Radicals | 112 |
| V-E-2 Suppression of the Structural Change under Pressure of Cu(hfac) ₂ Complex with 5-Bromo-1,3-phenylenebis(<i>N-tert</i> -butyl-aminoxyl) | 113 |
| V-F Bioinorganic Studies on Structures and Functions of Non-heme Metalloenzymes Using Model Complexes | 114 |
| V-F-1 Electron Transfer Reaction Induced by Self-Assembly of Biguanidato and Violorato Complexes through Triple Hydrogen-Bond | 114 |
| V-F-2 A Novel Diiron Complex as a Functional Model for Hemerythrin | 114 |
| V-F-3 A Substrate-specific α -Hydroxylation of Dipeptides Mediated upon a Co(III)-terpyridine Complex: A Functional Model for Peptidylglycine α -Hydroxylating Monooxygenase | 114 |
| V-F-4 Site-Selective Recognition of Amino Acids by Co(III) Complexes Containing a (N)(O) ₃ -Type Tripodal Tetradentate Ligand | 115 |
| V-F-5 Crystal Structure and Redox Behavior of a Novel Siderophore Model System: A Trihydroxamato-iron(III) Complex with Intra- and Interstrand Hydrogen Bonding Networks | 115 |
| V-F-6 Characterization of an NH- π Interaction in Co(III) Ternary Complexes with Aromatic Amino Acids | 115 |
| V-F-7 Reverse Reactivity in Hydroxylation of Adamantane and Epoxidation of Cyclohexene Catalyzed by the Mononuclear Ruthenium-oxo Complexes with 6-Substituted Tripodal Polypyridine Ligands | 115 |

| | | |
|------------|---|------------|
| V-F-8 | A Structural Model of the Ferrichrome Type Siderophore: Chiral Preference Induced by Intramolecular Hydrogen Bonding Networks in Ferric Trihydroxamate | 116 |
| V-F-9 | Crystal Structure and Solution Behavior of the Iron(III) Complex of the Artificial Trihydroxamate Siderophore with Tris(3-aminopropyl)amine Backbone | 116 |
| V-G | Probing Time-Dependent Processes in Solution with Time-Resolved Spectroscopic Methods | 117 |
| V-G-1 | Photochemical Bimolecular Reaction between Biphenyl and Carbon Tetrachloride: Observed Ultrafast Kinetics and Diffusion-Controlled Reaction Model | 117 |
| V-G-2 | Construction of Femtosecond Time-resolved Near-infrared Absorption Apparatus for Tracing Chemical Reaction Dynamics | 117 |
| V-H | Stereodynamics of Chemical Reactions and Photodissociation Dynamics | 119 |
| V-H-1 | Direct Measurement of Oscillating Behavior in $\text{Ar}(^3\text{P}) + \text{CH}_3\text{Cl} \rightarrow \text{Ar} + \text{CH}_3\text{Cl}^+ + \text{e}^-$ Ionization Cross Section by Velocity and Orientational Angle Selected Collisions | 119 |
| V-H-2 | 2D-Measurement of Penning Ionization Cross Section upon Molecular Orientation and Collision Energy in $\text{Ar}(^3\text{P}_{2,0}) + \text{CHCl}_3$ Crossed Beam Reaction | 119 |
| V-H-3 | Velocity Dependence of the Ionization Cross Section of Methyl Chloride Molecules Ionized by Metastable Argon Atoms | 119 |
| V-H-4 | Photodissociation of DCI Dimer Selected by an Electrostatic Hexapole Field Combined with Doppler-Selected TOF Technique: Observation of [CIDCl] Transient Species | 120 |
| V-H-5 | A New Channel of Hydrogen Elimination in the 121.6-nm Photodissociation of Formic Acid Detected by a Doppler-Selected TOF Mass Spectrometry | 120 |
| V-I | Structure Determination of Neural Clusters | 120 |
| V-I-1 | Non-Destructive Selection of Geometrical Isomers of $\text{Al}(\text{C}_6\text{H}_6)$ Cluster by a 2-Meter Electrostatic Hexapole Field | 120 |
| V-I-2 | Direct Determination of the Permanent Dipole Moments and Structures of $\text{Al}-\text{CH}_3\text{CN}$ and $\text{Al}-\text{NH}_3$ by Using 2-Meter Electrostatic Hexapole Field | 121 |
| V-J | Monte Carlo Simulation of Molecular Clusters | 122 |
| V-J-1 | Structure Analysis of Chemical Gel Using Monte Carlo Simulation | 122 |
| V-J-2 | Characterization of Gel Using Modeled Radical Polymerization with Cross Linkers Performed by Monte Carlo Method | 122 |
| V-J-3 | Linear-Shaped Motion of DNA in Entangled Polymer Solutions under a Steady Field | 122 |
| V-J-4 | Dynamics of DNA in Entangled Polymer Solutions: An Anisotropic Friction Model | 122 |
| V-J-5 | Electrophoretic Behavior of Polyelectrolytes in Gel and Polymer Solutions | 122 |
| V-K | Development of Broadband Solid-State NMR Spectroscopy | 124 |
| V-K-1 | Numerical Simulations of the Transmission Line Probe | 124 |

RESEARCH ACTIVITIES VI -----125

Department of Vacuum UV Photoscience

| | | |
|-------------|--|------------|
| VI-A | Electronic Structure and Decay Mechanism of Inner-Shell Excited Molecules | 125 |
| VI-A-1 | Spin-Orbit and Exchange Splittings in the $\text{S } 2\text{p} \rightarrow \pi^*(\text{b}_1)$ Excitation of SO_2 | 125 |
| VI-A-2 | X-Ray Photoelectron and Absorption Spectra of Fragments from $\text{NH}_3/\text{Cu}(110)$ Induced by Soft X-Ray Irradiation | 126 |
| VI-B | Soft X-ray Photoelectron-Photoabsorption Spectroscopy and Electronic Structure of Transition Metal Compounds | 126 |
| VI-B-1 | Photoabsorption and Resonant Photoelectron Spectroscopy of a Rare-earth Borocarbide LaB_2C_2 | 126 |
| VI-B-2 | Cu L-Edge X-Ray Absorption Spectra of $(\text{Me}_2\text{-DCNQI})_2\text{Li}_{1-x}\text{Cu}$ | 127 |
| VI-B-3 | Resonant Inelastic X-Ray Scattering of Ni Dimethylglyoxime | 127 |
| VI-C | Observation of Vibrational Coherence (Wavepacket Motion) in Solution-Phase Molecules Using Ultrashort Pulses | 129 |
| VI-C-1 | Observation of Coherent Nuclear Motion in the Photoinduced Ring-Opening Reaction of Diphenylcyclopropenone | 129 |
| VI-C-2 | Construction of Transient Resonance Impulsive Stimulated Raman Scattering Spectrometer | 129 |
| VI-C-3 | Observation of the Low-Frequency Vibration of S_1 <i>Trans</i> -Stilbene in Solution Using Transient Resonance Impulsive Stimulated Raman Scattering Method | 130 |
| VI-D | Studies of Primary Photochemical/physical Processes Using Femtosecond Electronic Spectroscopy | 130 |
| VI-D-1 | Femtosecond Time-Resolved Fluorescence Study of Excited-State Intramolecular Proton Transfer in Hydroxy Derivatives of Anthraquinone | 131 |
| VI-D-2 | Steady-State and Femtosecond Time-Resolved Fluorescence Study of <i>Trans</i> -Azobenzene with $\text{S}_2(\pi\pi^*) \leftarrow \text{S}_0$ Photoexcitation | 132 |

| | | |
|-------------|---|------------|
| VI-D-3 | A New Insight into the Relaxation Mechanisms of <i>trans</i> -Azobenzene Following the $S_2(\pi\pi^*) \leftarrow S_0$ Photoexcitation: Rotational Deactivation Process from the Vibrationally Excited $S_1(n\pi^*)$ State | 132 |
| VI-D-4 | Dynamics of Photoinduced Ring-Opening Reaction of Diphenylcyclopropenone Studied by Sub-Picosecond Transient Absorption Spectroscopy | 133 |
| VI-D-5 | Excitation-Wavelength Dependence of the Femtosecond Fluorescence Dynamics of 7-Azaindole Dimer: Further Evidence for the Concerted Double Proton Transfer in Solution | 133 |
| VI-E | Studies of Photochemical Reactions | |
| | Using Picosecond Time-Resolved Vibrational Spectroscopy | 135 |
| VI-E-1 | Novel Resonance Raman Enhancement of Local Structure around Solvated Electrons in Water | 135 |
| VI-E-2 | Construction of A Near-Infrared Time-Resolved Raman Spectrometer | 135 |
| VI-E-3 | Temporal Fluorescence Rejection in Raman Spectroscopy by the Application of Femtosecond Upconversion Technique | 136 |
| VI-F | Synchrotron Radiation Stimulated Surface Reaction and Nanoscience | 138 |
| VI-F-1 | Nanostructure Formation on Si (111) Surface Assisted by Synchrotron Radiation Illumination—Characterization by Scanning Tunneling Microscopy— | 138 |
| VI-F-2 | Construction of UHV Variable Temperature STM for <i>in situ</i> Observation of SR Stimulated Surface Reaction | 138 |
| VI-F-3 | Construction of Low Temperature UHV STM for Observation of Organic- or Bio- Molecules Assembled Silicon Surface | 138 |
| VI-G | Noble Semiconductor Surface Vibration Spectroscopy | 139 |
| VI-G-1 | Initial Stage of Hydrogen Etching of Si Surfaces Investigated by Infrared Reflection Absorption Spectroscopy | 139 |
| VI-G-2 | Nearly Ideally H-Terminated Si(100) Surfaces and IR-Line Width Broadening due to Hydrogen Diffusion into the Subsurface | 139 |
| VI-G-3 | Hydrogen Diffusion and Water Reaction on the H-Terminated Si(100) Surface | 140 |
| VI-H | Integration of Bio-Functional Materials on Silicon | 140 |
| VI-H-1 | Influence of Substrate Roughness on the Formation of Self-Assembled Monolayers (SAM) on Silicon(100) | 140 |
| VI-H-2 | Characterization of Oligo-Ethylene Glycol Ethers Bound to Self-Assembled Monolayers (SAM) on Silicon with FTIR Spectroscopy and Ellipsometry | 141 |
| VI-H-3 | Deposition of Self-Assembled Alkyl Monolayers on Si and SiO ₂ | 141 |
| VI-I | Photoionization and Photodissociation Dynamics Studied by Electron and Fluorescence Spectroscopy | 142 |
| VI-I-1 | Formation and Autoionization of a Dipole-Forbidden Superexcited State of CS ₂ | 142 |
| VI-I-2 | UV and Visible Emission Spectra from Photodissociation of OCS Using Synchrotron Radiation at 15–30 eV | 142 |
| VI-J | Development of a Laser-Synchrotron Radiation Combination Technique to Study Photoionization of Polarized Atoms | 143 |
| VI-J-1 | Development of a Conical Energy Analyzer for Angle-Resolved Photoelectron Spectroscopy | 143 |
| VI-K | Vacuum UV Spectroscopy Making Use of a Combination of Synchrotron Radiation and a Mode-Locked or Pulsed UV Laser | 144 |
| VI-K-1 | Laser Induced Fluorescence Spectroscopy of CN($X^2\Sigma^+$) Radicals Produced by Vacuum UV Photoexcitation of CH ₃ CN with Synchrotron Radiation | 144 |
| VI-L | Monochromator Newly Developed on the Beam Line BL2B2 in UVSOR | 145 |
| VI-L-1 | Performance of the 18 m-Spherical Grating Monochromator Newly Developed in the UVSOR Facility | 145 |
| VI-L-2 | Anisotropy of Fragment Ions from SF ₆ with Valence- and Sulfur <i>L</i> -Electron Excitation | 145 |
| VI-M | Thin Film Preparation with Chemical Vapor Deposition Using Vacuum Ultraviolet Radiation | 147 |
| VI-M-1 | Design and Construction of UVSOR-BL4A2 Beam Line for Nano-Structure Processing | 147 |
| VI-M-2 | Characterization of SiO ₂ Dielectric Films in Photo-Chemical Vapor Deposition Using Vacuum Ultraviolet Excimer Lamp | 147 |
| VI-M-3 | Electrical Properties of SiO ₂ films Prepared by VUV Chemical Vapor Deposition | 147 |
| VI-M-4 | SiO ₂ Film Deposition on Different Substrate Materials by Photo-CVD Using Vacuum Ultraviolet Radiation | 147 |
| VI-M-5 | Silica Film Preparation by Chemical Vapor Deposition Using Vacuum Ultraviolet Excimer Lamps | 148 |
| VI-M-6 | GeO ₂ and SiO ₂ Thin Film Preparation with CVD Using Ultraviolet Excimer Lamps | 148 |
| VI-M-7 | Room Temperature Deposition of GeO ₂ Thin Films Using Dielectric Barrier Discharge Driven Excimer Lamps | 148 |

| | |
|---|------------|
| VI-N Atoms and Molecules at Water-Zeolite Interfaces: Structure Determination based on AFM Observations | 149 |
| VI-N-1 High-Resolution Imaging of Organic Monolayers Using Noncontact AFM | 149 |
| VI-N-2 Study of Catalyst Preparation Processes by Atomic Force Microscopy (AFM): Adsorption of a Pt Complex on a Zeolite Surface | 149 |
| VI-N-3 Recent Applications of Atomic Force Microscopy to the Study of Pyridine-Base Molecules Adsorbed on the (010) Surfaces of Heulandite and Stilbite Crystals | 149 |
| VI-N-4 Atomic Force Microscopy Observations of Zeolite(010) Surface Atoms and Adsorbed Molecules | 149 |
| VI-O Soft X-Ray, Ultraviolet, Visible and Infrared Spectroscopy of Solids and Devices | 150 |
| VI-O-1 Reflection Spectra of $\text{Al}_{1-x}\text{Ga}_x\text{N}$ | 150 |
| VI-O-2 Characterization of GaN-Based Schottky Barrier Ultraviolet (UV) Detectors in the UV and Vacuum Ultraviolet (VUV) Region Using Synchrotron Radiation | 150 |
| VI-O-3 Near K-Edge Absorption Spectra of the III-V Nitride | 150 |
| VI-P Optical Techniques for Synchrotron Radiation | 150 |
| VI-P-1 Performance of IR-VUV Normal Incidence Monochromator Beamline at UVSOR | 150 |
| VI-P-2 Development of A Surface Profiler for Optical Elements | 151 |
| VI-Q Dynamics and Relaxation of Atoms and Molecules Following Core-Level Excitation | 152 |
| VI-Q-1 Site-Specific Fragmentation Following C:1s Core-Level Photoionization of 1,1,1-Trifluoroethane Condensed on a Au Surface and of a 2,2,2-Trifluoroethanol Monolayer Chemisorbed on a Si(100) Surface | 152 |
| VI-Q-2 Si:2p Site-Specific Excitation and Fragmentation of Bridged Trihalosilyltrimethylsilyl Molecules: Role of the Bridge and Final-State Effect | 152 |
| VI-Q-3 Site-Specific Fragmentation Caused by Core-Level Photoionization: Effect of Chemisorption | 152 |
| VI-Q-4 Development of Electron-Ion Coincidence Spectroscopy for Study of Vapor-Phase Dynamics | 153 |
| VI-Q-5 Electron-Ion Coincidence Spectroscopy as a New Tool for Surface Analysis —an Application to the Ice Surface | 153 |
| VI-Q-6 Photo-Stimulated Ion Desorption from $\text{TiO}_2(110)$ Surface | 153 |
| VI-Q-7 Ion Desorption Induced by Core-Level Excitation on $\text{H}_2\text{O}/\text{Si}(100)$ Surface | 153 |
| VI-Q-8 Resonant Auger Spectrum Following $\text{Kr}:2p \rightarrow 5s$ Photoexcitation | 153 |
| VI-Q-9 Molecular Deformation in the $\text{O } 1s^{-1}2\pi_u$ Excited States of CO_2 Probed by the Triple-Differential Measurement of Fragment Ions | 153 |
| VI-Q-10 Monochromator for a Soft X-ray Photochemistry Beamline BL27SU of SPring-8 | 154 |
| VI-Q-11 Angle-Resolved Electron and Ion Spectroscopy Apparatus on the Soft X-Ray Photochemistry Beamline BL27SU at SPring-8 | 154 |
| VI-Q-12 Resonant Auger Spectra of Kr Near the L_3 Threshold | 154 |
| VI-Q-13 Auger Electron Spectra of Kr2p Holes Using Monochromatic Soft X-Rays | 154 |
| VI-R Ultraviolet Photoelectron Spectroscopy of Organic Thin Film and Organic/Inorganic Interface | 155 |
| VI-R-1 Pendant Group Orientation of Poly(2-vinylnaphthalene) Thin Film Surface Studied by Near-Edge X-Ray Absorption Fine Structure Spectroscopy (NEXAFS) and Angle-resolved Ultraviolet Photoelectron Spectroscopy (ARUPS) | 155 |
| VI-R-2 Origin of Indium-[perylene3,4,9,10-tetracarboxylic Dianhydride] Interface States Studied by Outermost Surface Spectroscopy Using Metastable Atoms | 155 |
| VI-R-3 Surface Images of $\text{SiO}_2/\text{Si}(100)$ Pattern using Electron Emission Microscopy with Metastable Atoms, Photons and Low-Energy Electrons | 156 |
| VI-R-4 Ultraviolet Photoelectron Spectra of Metallofullerenes, Two $\text{Ca}@\text{C}_{82}$ Isomers | 156 |
| VI-R-5 Chemical Reaction at the NTCDA/Metal Interfaces | 156 |
| VI-S Study on Compact X-Ray Sources | 158 |
| VI-S-1 Preliminary Study on Photoemission from Cesium Telluride Irradiated by Polarized Photon | 158 |
| VI-S-2 Study on Radiation Shielding for Synchrotron Radiation Facilities | 158 |
| VI-T Syntheses of Fullerene-Based New Materials with Novel Physical Properties | 160 |
| VI-T-1 Structure and Raman Scattering of Cs_3C_{60} under High Pressure | 160 |
| VI-T-2 Structure and Physical Properties of Na_4C_{60} under Ambient and High Pressures | 160 |
| VI-T-3 Structure of $\text{La}_2@\text{C}_{80}$ Studied by La K-Edge XAFS | 160 |
| VI-T-4 Structure and Electronic Properties of $\text{Dy}@\text{C}_{82}$ Studied by UV-VIS Absorption, X-Ray Powder Diffraction and XAFS | 160 |
| VI-T-5 $\text{Dy}@\text{C}_{60}$: Evidence for Endohedral Structure and Electron Transfer | 161 |

RESEARCH ACTIVITIES VII -----163**Coordination Chemistry Laboratories**

| | |
|--|------------|
| VII-A A Diversity-Based Approach to Novel Chiral Units ----- | 163 |
| VII-A-1 A Parallel Preparation of A Bicyclic <i>N</i> -Chiral Amine Library and Its Use for Chiral Catalyst Screening ----- | 163 |
| VII-A-2 Enantioselective Desymmetrization of Meso-Cyclic Anhydrides Catalyzed by Hexahydro-1 <i>H</i> -pyrrolo[1,2- <i>c</i>]imidazolones ----- | 163 |
| VII-B Catalysis in Aqueous Media by Using of Amphiphilic Polymer-Supported Catalysts ----- | 163 |
| VII-B-1 Catalytic Asymmetric Allylic Alkylation in Water with a Recyclable Amphiphilic Resin-Supported <i>P,N</i> -Chelating Palladium Complex ----- | 164 |
| VII-B-2 Michael Reactions in Water Using Amphiphilic Resin-Supported Quaternary Ammonium Hydroxides ----- | 164 |
| VII-C Electrochemical Analysis of Biological Functions of Metalloproteins and Their Mutated Molecules and Its Applications to Coordination Chemistry for Catalysis ---- | 165 |
| VII-C-1 Simple Methods for Preparation of a Well-Defined 4-Pyridinethiol Modified Surface on Au(111) Electrodes for Cytochrome <i>c</i> Electrochemistry ----- | 165 |
| VII-C-2 Voltammetric and In Situ STM Studies on Self-Assembled Monolayers of 4- and 2-Mercaptopyridines and Thiophenol on Au(111) Electrodes ----- | 165 |
| VII-C-3 Formation of the "Nanotube" Structure of β -Cyclodextrin on Au(111) Surfaces Induced by Potential Controlled Adsorption ----- | 165 |
| VII-C-4 Direct Observation of Perchlorate Induced by Redox Reaction of Ferrocene Terminated Self-Assembled Monolayer Studied by in situ FT-Surface Enhanced Raman Spectroscopy ---- | 166 |
| VII-C-5 Novel "Wet Process" Technique Based on Electrochemical Replacement for the Preparation of Fullerene Epitaxial Adlayers ----- | 166 |
| VII-C-6 Electrochemical and Spectroelectrochemical Studies on Cobalt Myoglobin ----- | 166 |
| VII-C-7 Effect of Rapid Heme Rotation on Electrochemistry of Myoglobin ----- | 166 |
| VII-D Unusual Reactivities of N-Heterocycles ----- | 167 |
| VII-D-1 An Unusually Acidic Methyl Group Directly Bound to Acridinium Cation ----- | 167 |
| VII-E Reductive Activation of Carbon Dioxide and Oxidative Activation of Water Aimed at Energy Conversion ----- | 168 |
| VII-E-1 Syntheses and Redox Properties of Bis(hydroxoruthenium) Complexes with Quinone and Bipyridine Ligands. Water-Oxidation Catalysis ----- | 168 |
| VII-E-2 A Ru-Carbene Complex with a Metallacycle Involving a 1,8-naphthylidene Framework ----- | 168 |
| VII-E-3 Characterization of Ru(bpy) ₂ (CO)(COO) Prepared by CO ₂ Addition to Ru(bpy) ₂ (CO) in Acetonitrile ----- | 169 |
| VII-E-4 Ruthenium Terpyridine Complexes with mono- and bi-Dentate Dithiolene Ligands ----- | 169 |
| VII-E-5 Syntheses of New Ruthenium Carbonyl Terpyridine <i>o</i> -Phenylene Complexes: Strong Interaction Between Carbonyl and <i>o</i> -Phenylene Ligands ----- | 170 |
| VII-E-6 Structural and Spectroscopic Characterization of Ruthenium(II) Complexes with Methyl, Formyl and Acetyl Groups as Model Species in Multi-Step CO ₂ Reduction ----- | 170 |
| VII-F Synthesis of Transition-Metal Chalcogenido Complexes and Their Cluster-Forming Reactions ----- | 171 |
| VII-F-1 Synthesis of a Pentamethylcyclopentadienyl Complex of Tungsten with Three Different Chalcogenido (O ²⁻ , S ²⁻ , Se ²⁻) Ligands ----- | 171 |
| VII-F-2 Synthesis and Reactions of Triphenylsilanethiolato Complexes of Manganese(II), Iron(II), Cobalt(II), and Nickel(II) ----- | 171 |
| VII-G Synthesis of Compounds Having a Novel Bonding Containing Heavier Main Group Element ----- | 172 |
| VII-G-1 Separation of Orientational Disorder in the X-Ray Analysis of the Kinetically Stabilized 2-Silanaphthalene ----- | 172 |
| VII-G-2 The First Chemical Trapping of Stibinidene, a Monovalent Antimony Compound ----- | 172 |
| VII-G-3 Formation of Antimony-Sulfur Double-Bond Compounds and Their Trapping with Nitrile Oxides ----- | 173 |
| VII-G-4 Synthesis, Structures, and Reactivities of Novel Silacyclic Systems: The First Stable Silabenzene and Silacyclopropabenzene ----- | 173 |
| VII-G-5 Synthesis and Reactivities of the First Stable Stibabismuthene ----- | 174 |
| VII-G-6 Reaction of Stable Silylene-Isocyanide Complexes with BH ₃ ·THF ----- | 174 |
| VII-G-7 Synthesis and Properties of the First Stable Germanaphthalene ----- | 174 |
| VII-H Development of Coordination Chemistry-based Strategies for Structural and Functional Modulation of Naturally Occurring Proteins or Enzymes ----- | 176 |
| VII-H-1 Guest-Induced Umpolung on a Protein Surface: A Strategy for Regulation of Enzymatic Activity ----- | 176 |

| | |
|---|------------|
| VII-H-2 Pd(en) as a Sequence-Selective Molecular Pinch for α -Helical Peptides | 176 |
| VII-H-3 Zn(II) Dipicolylamine-Based Artificial Receptor as a New Entry for Surface Recognition of α -Helical Peptides in Aqueous Solution | 176 |
| VII-I Synthesis and Functionality of Organometallic Dendrimers | 178 |
| VII-I-1 Living Polymerization of Aryl Isocyanides by Multifunctional Initiators Containing Pd–Pt μ -Ethyne-diyl Units | 178 |
| VII-I-2 Synthesis of Hyperbranched Platinum-Poly(yne) Polymers by Self Polycondensation | 178 |
| VII-I-3 Synthesis of Organometallic Dendrimers by Ligand Exchange Reactions: Reversible Bonding of Dendrons to a Core in Transition Metal Acetylide Dendrimers | 178 |

RESEARCH ACTIVITIES VIII -----179

Laser Research Center for Molecular Science

| | |
|---|------------|
| VIII-A Developments and Researches of New Laser Materials | 179 |
| VIII-A-1 Supercritical-Fluid Cell with Device of Variable Optical Path Length Giving Fringe-Free Terahertz Spectra | 179 |
| VIII-A-2 Growth and Characterization of KMgF_3 Single Crystals by the Czochralski Technique under CF_4 Atmosphere | 179 |
| VIII-A-3 Chirped-Pulse Amplification of Ultraviolet Femtosecond Pulses by Use of $\text{Ce}^{3+}:\text{LiCaAlF}_6$ as a Broadband, Solid-State Gain Medium | 180 |
| VIII-A-4 Terahertz Radiation from a Shallow Incidence-Angle InAs Emitter in a Magnetic Field Irradiated with Femtosecond Laser Pulses | 180 |
| VIII-A-5 Crystal Growth of Ce-Doped and Undoped LiCaAlF_6 by the Czochralski Technique under CF_4 Atmosphere | 180 |
| VIII-A-6 Ultraviolet Femtosecond Pulse Amplification with High Gain Using Solid-State, Broad-Band Gain Medium $\text{Ce}^{3+}:\text{LiCaAlF}_6$ | 181 |
| VIII-A-7 Terahertz Absorption Spectra of Supercritical CHF_3 to Investigate Local Structure Through Rotational and Hindered Rotational Motions | 181 |
| VIII-A-8 Observation of New Excitation Channel of Cerium ion through Highly Vacuumultraviolet Transparent LiCAF Host Crystal | 181 |
| VIII-A-9 THz-Radiation Emitter and Receiver System Based on a 2 T Permanent Magnet, 1040 nm Compact Fiber Laser and Pyroelectric Thermal Receiver | 182 |
| VIII-A-10 Nanocluster Crystals of Lacunary Polyoxometalates as Structure-Design-Flexible, Inorganic Nonlinear Materials | 182 |
| VIII-B Development and Research of Advanced Tunable Solid State Lasers | 183 |
| VIII-B-1 Intra-Cavity Frequency Doubling of a Nd:YAG Laser Passively Q-Switched by $\text{Cr}^{4+}:\text{YAG}$ Saturable Absorber | 183 |
| VIII-B-2 Laser Emission under Resonant Pump in the Emitting Level of Highly Doped Nd Materials | 184 |
| VIII-B-3 Thermal Birefringence in Nd:YAG Ceramics | 185 |
| VIII-B-4 In-situ Observation of Fabrication of Nonlinear Optical Wavelength Converter | 186 |
| VIII-B-5 Periodical Twinning in Crystal Quartz for Ultraviolet Nonlinear Optics | 187 |

Research Center for Molecular Materials

| | |
|---|------------|
| VIII-C Development of Novel Heterocyclic Compounds and Their Molecular Assemblies for Advanced Materials | 189 |
| VIII-C-1 Linear Hydrogen-Bonded Molecular Tapes in the Co-Crystals of Squaric Acid with 4,4'-Dipyridylacetylene or 1,2-Bis(4-pyridyl)ethylene | 189 |
| VIII-C-2 One-Dimensional Hydrogen-Bonded Molecular Tapes in 1,4-Bis[(4-pyridinium)ethynyl]-benzene Chloranilate | 189 |
| VIII-C-3 4,7-Bis[(4-pyridyl)ethynyl]-2,1,3-benzothiadiazole and Its Dipyridinium Dipchlorate | 190 |
| VIII-C-4 One-Dimensional Zigzag Chain Structures with Intermolecular C–H... π and C–H...O Interactions Consisted of Phthalic Acid and Pyridine Derivatives | 190 |
| VIII-C-5 Synthesis and Crystal Structures of Decamethylferrocenium Salts of Anilate Anion Derived from Bromanilic Acid, Chloranilic Acid and Cyananilic Acid | 191 |
| VIII-C-6 Tetrathiafulvalene with a Fused Pyrazine Ring | 191 |
| VIII-C-7 Hydrogen-Bonded Square Grid-Type Network in the Co-Crystal of Pyrazinotetrathiafulvalene with Chloranilic Acid | 192 |
| VIII-C-8 Hydroxyphenyl Substituted Tetrathiafulvalene Vinylogues Affording Stable Cation Radical Salts with Unusual Crystal Structures | 192 |
| VIII-C-9 A Molecule with a C_1 -Homobasketane Framework | 192 |
| VIII-C-10 Real Space Observation of Individual Conformers of Oligothiophenes on Au(111) Surface | 193 |

| | |
|--|------------|
| VIII-C-11 Small Bandgap Polymers Involving Tricyclic Nonclassical Thiophene as a Building Block ----- | 194 |
| VIII-C-12 Prospects of Single Molecule Devices for Future High Performance Information Technologies ----- | 194 |
| VIII-D Designing Artificial Photosynthesis at Molecular Dimensions ----- | 195 |
| VIII-D-1 Synthesis and Photochemical Reactions of Multistep Redox Polymer Containing Porphyrin and Metallocenes ----- | 195 |
| VIII-E Development of New Metal Complexes as Redox Catalysts ----- | 196 |
| VIII-E-1 Synthesis of Terpyridine-based Binary Ligands and Their Metal Complexes ----- | 196 |
| VIII-F Development of Organic n-Type Semiconductors for Molecular Thin-Film Devices ----- | 198 |
| VIII-F-1 Tetradecafluorosexithiophene: The First Perfluorinated Oligothiophene ----- | 198 |
| VIII-F-2 Highly Efficient Phosphorescence from Organic Light-Emitting Devices with an Exciton-Block Layer ----- | 198 |
| VIII-G The Effects of the 2D Spin-Echo NMR Experiment on a Solid-State Homonuclear Spin-1/2 Pair ----- | 199 |
| VIII-G-1 Novel Structure Discovered on Two-Dimensional Spin-Echo NMR Spectra for a Homonuclear Spin-1/2 Pair in Rotating Solids ----- | 199 |
| VIII-H Rotational Echo Double Resonance (REDOR) Experiments with Overtone Adiabatic Inversion Pulses ----- | 199 |
| VIII-H-1 The Observation of REDOR Phenomenon for Solid-State ^{13}C - ^{14}N spin Systems with the Help of Overtone Adiabatic Inversion Pulses ----- | 199 |
| Equipment Development Center | |
| VIII-I Development of "IMS Machines" ----- | 200 |
| VIII-I-1 A Novel Method for Intensifying Oriented Molecular Beam: Electrostatic Honeycomb Field ----- | 200 |
| Ultraviolet Synchrotron Orbital Radiation Facility | |
| VIII-J Development of the UVSOR Light Source ----- | 201 |
| VIII-J-1 UVSOR Upgrade Project ----- | 201 |
| VIII-J-2 Storage Ring Free Electron Laser ----- | 201 |
| VIII-J-3 Vacuum System Remodeling for the UVSOR Upgrading ----- | 201 |
| VIII-K Researches by the USE of UVSOR ----- | 201 |
| VIII-K-1 Photo-Induced Phase Transition of Spin-Crossover Complex Studied by Photoelectron Spectroscopy ----- | 201 |
| VIII-K-2 Beam-Line Systems for Pump-Probe Photoelectron Spectroscopy Using SR and Laser ----- | 202 |
| VIII-K-3 Experiments with Combined Laser and SR at the UVSOR Facility ----- | 202 |
| VIII-K-4 Cesiumoxide-GaAs Interface and Layer Thickness in NEA Surface Formation ----- | 202 |
| VIII-K-5 Surface Photovoltage Effects on <i>p</i> -GaAs (100) from Core-Level Photoelectron Spectroscopy Using Synchrotron Radiation and a Laser ----- | 202 |
| VIII-K-6 Performance Tests for the Newly Constructed Varied-Line-Spacing Plane Grating Monochromator at BL-4B ----- | 202 |
| VIII-K-7 High-Resolution Symmetry-Resolved K-Shell Photoabsorption Spectra of N_2 ----- | 203 |
| VIII-K-8 Dynamical Angular Correlation in Molecular Auger Decay ----- | 203 |
| VIII-K-9 Pump /Probe Experiments with FEL and SR Pulses at UVSOR ----- | 204 |
| Computer Center | |
| VIII-L Theoretical Studies on Electronic Structure and Dynamics of Electronically Excited States in Polyatomic Molecules ----- | 205 |
| VIII-L-1 Quantum Reactive Scattering Calculations of the $\text{O}(^1\text{D}) + \text{HCl}$ Reaction Using the Global ab initio Potential Energy Surfaces of Electronic Excited States ----- | 205 |
| VIII-L-2 Millimeter-Wave Spectroscopy of the Internal-Rotation Band of the He-HCN Cluster and Determination of the Empirical Intermolecular Potential Energy Surface ----- | 205 |
| VIII-L-3 Determination of the Global Potential Energy Surfaces and Transition Wave Packet Dynamics for Polyatomic Systems ----- | 205 |
| VIII-L-4 Ab Initio Study of <i>p</i> -tert-Butylcalix[4]crown-6-ether Complexed with Alkyl Ammonium Cations ----- | 205 |
| VIII-L-5 Nonadiabatic Process in Nonintegrable Quantum Systems ----- | 206 |
| VIII-L-6 Theoretical Study of Endohedral Metalofullerene $\text{La}@C_{76}$ ----- | 206 |
| VIII-L-7 Formation of HCl^+ ($\text{A}^2\Sigma^+$) and HBr^+ ($\text{A}^2\Sigma^+$) Resulting from He (2^3S) Penning Ionization of HCl and HBr ----- | 206 |

RESEARCH ACTIVITIES IX -----207**Center for Integrative Bioscience**

| | |
|--|------------|
| IX-A Molecular Mechanisms of Oxygen Activation by Heme Enzymes ----- | 207 |
| IX-A-1 Molecular Engineering of Myoglobin: The Improvement of Oxidation Activity by Replacing Phe-43 with Tryptophan ----- | 207 |
| IX-A-2 Oxidative Modification of Tryptophan-43 in the Heme Vicinity of the F43W/H64L Myoglobin Mutant ----- | 207 |
| IX-B Model Studies of Non-Heme Proteins ----- | 208 |
| IX-B-1 (Catecholato)iron(III) Complexes: Structural and Functional Models for the Catechol-bound Iron(III) Form of Catechol Dioxygenases ----- | 208 |
| IX-B-2 Biomimetic Intradiol-Cleavage of Catechols with Incorporation of Both Atoms of O ₂ : The Role of the Vacant Coordination Site on the Iron Center ----- | 208 |
| IX-C Aqueous Organometallic Chemistry ----- | 209 |
| IX-C-1 pH-Dependent Transfer Hydrogenation, Reductive Amination, and Dehalogenation of Water-Soluble Carbonyl Compounds and Alkyl Halides Promoted by Cp*Ir Complexes ---- | 209 |
| IX-D Single-Molecule Physiology ----- | 210 |
| IX-D-1 Resolution of Distinct Rotational Substeps by Submillisecond Kinetic Analysis of F ₁ -ATPase ----- | 210 |
| IX-D-2 Purine but Not Pyrimidine Nucleotides Support Rotation of F ₁ -ATPase ----- | 210 |
| IX-D-3 Direct Observation of DNA Rotation during Transcription by <i>Escherichia coli</i> RNA Polymerase ----- | 211 |
| IX-E Electronic Structure and Reactivity of Active Sites of Metalloproteins ----- | 212 |
| IX-E-1 Structural Model of Active Site of Protocatechuate 3,4-Dioxygenase: Trigonal Bipyramidal Ferric Aqua Complex with Sterically Hindered New Salen Ligand ---- | 212 |
| IX-E-2 Synthesis and Characterization of High Valent Iron Porphyrin Complexes as Models for Reaction Intermediates of Cytochrome <i>c</i> Oxidase ----- | 212 |
| IX-F Molecular Mechanism of Heme Degradation and Oxygen Activation by Heme Oxygenase ---- | 213 |
| IX-F-1 A Role for Highly Conserved Carboxylate, Aspartate-140, in Oxygen Activation and Heme Degradation by Heme Oxygenase-1 ----- | 213 |
| IX-F-2 Catalytic Mechanism of Heme Oxygenase Through EPR and ENDOR of Cryoreduced Oxy-Heme Oxygenase and Asp 140 Mutants ----- | 213 |
| IX-G Biomolecular Science ----- | 215 |
| IX-G-1 Presence of the Heme-oxo Intermediate in Oxygenation of Carbon Monoxide by Cytochrome <i>c</i> Oxidase Revealed by Resonance Raman Spectroscopy ----- | 215 |
| IX-G-2 Protein Conformation Change of Myoglobin upon Ligand Binding Probed by Ultraviolet Resonance Raman Spectroscopy ----- | 215 |
| IX-G-3 UV Resonance Raman Characterization of Model Compounds of Tyr ²⁴⁴ of Bovine Cytochrome <i>c</i> Oxidase in Its Neutral-, Deprotonated Anion-, and Deprotonated Neutral Radical-Forms: Effects of Covalent Binding between Tyrosine and Histidine ----- | 216 |
| IX-G-4 Synthesis, Structure, and H ₂ O ₂ -Dependent Catalytic Functions of Disulfide-Bridged Dicopper(I) and Related Thioether-Copper(I) and Thioether-Copper(II) Complexes ----- | 216 |
| IX-G-5 UV Resonance Raman Detection of a Ligand Vibration on Ferric Nitrosyl Heme Proteins ----- | 216 |
| IX-G-6 Elucidation of the Differences between the 430 and 455-nm Absorbing Forms of P450-Isocyanide Adducts by Resonance Raman Spectroscopy ----- | 217 |
| IX-G-7 Observation of an Isotope Sensitive Low Frequency Raman Band Specific to Metmyoglobin ----- | 217 |
| IX-G-8 A Novel Diiron Complex as a Functional Model for Hemerythrin ----- | 217 |
| IX-G-9 Effects of Metal Ions on the Electronic, Redox, and Catalytic Properties of Cofactor TTQ of Quinoprotein Amine Dehydrogenases ----- | 218 |
| IX-G-10 Active Site Models for Galactose Oxidase Containing Two Different Phenol Groups ---- | 218 |
| IX-G-11 Active Site Structure of SoxB-Type Cytochrome <i>bo</i> ₃ Oxidase from Thermophilic Bacillus ----- | 218 |
| IX-G-12 First Synthetic NO-Heme-Thiolate Complex Relevant to Nitric Oxide Synthase and Cytochrome P450nor ----- | 219 |
| IX-G-13 Effects of a Thiolate Axial Ligand on the $\pi \rightarrow \pi^*$ Electronic States of Oxoferryl Porphyrins: A Study of the Optical and Resonance Raman Spectra of Compounds I and II of Chloroperoxidase ----- | 219 |
| IX-G-14 Characterization of Imidazolate-Bridged Dinuclear and Mononuclear Hydroperoxo Complexes ----- | 219 |
| IX-G-15 Oxygenation of Phenols to Catechols by a (μ - η^2 : η^2 -peroxo)dicopper(II) Complex. Mechanistic Insight into the Phenolase Activity of Tyrosinase ----- | 220 |

| | |
|---|------------|
| IX-G-16 Differences in Changes of Subunit Interfacial Contacts upon Ligand Binding to the α or β Subunits of Ni-Fe Hybrid Hemoglobin Probed by UV Resonance Raman Spectroscopy | 220 |
| IX-G-17 Resonance Raman Studies of the Oxygen Sensing Signal Transducer Protein HemAT from <i>Bacillus Subtilis</i> | 220 |
| IX-G-18 Time-Resolved UV Resonance Raman Investigation of Protein Folding: Characterization of Kinetic and Equilibrium Intermediates of Apomyoglobin | 221 |
| IX-G-19 Raman Spectroscopy of Proteins | 221 |
| IX-G-20 Identification of Tyrosine Residues Involved in Ligand Recognition by the Phosphatidylinositol 3-Kinase Src Homology 3 Domain: Circular Dichroism and UV Resonance Raman Studies | 221 |
| IX-H Fast Dynamics of Photoproducts in Solution Phases | 222 |
| IX-H-1 Ultrafast Dynamics of Myoglobin Probed by Time-resolved Resonance Raman Spectroscopy | 222 |
| IX-H-2 Time-Resolved Resonance Raman Study of the Exciplex Formed between Excited Cu-Porphyrin and DNA | 222 |
| IX-H-3 Ultrafast Structural Relaxation of Myoglobin Following Photodissociation of Carbon Monoxide Probed by Time-Resolved Resonance Raman Spectroscopy | 223 |

RESEARCH FACILITIES -----225

| | |
|--|-----|
| Laser Research Center for Molecular Science | 225 |
| Research Center for Molecular Materials | 225 |
| Equipment Development Center | 225 |
| Ultraviolet Synchrotron Orbital Radiation Facility | 225 |
| Computer Center | 226 |

SPECIAL RESEARCH PROJECTS -----227

| | |
|---|------------|
| (a) Chemical Reaction Dynamics | 227 |
| Folding Mechanism of Protein Molecules Studied by Generalized-Ensemble Algorithms | 227 |
| Development and Applications of Basic Theories of Nonadiabatic Transitions, Chemical Reactions, and Their Control | 227 |
| Proton Tunneling in a Dissipative Environment: Raman Response and ReactionRate | 228 |
| Constructing Molecular Theory of Chemical Process in Solution | 228 |
| Imaging of Chemical Dynamics | 228 |
| Stereodynamics and Active Control of Chemical Reactions by Using Electrostatic Hexapole State-Selector and Polarized Laser Excitation | 228 |
| Monte Carlo Simulation of Chemical Gel | 229 |
| Electronic Structure and Decay Mechanism of Inner-Shell Excited Molecules | 229 |
| Time-Resolved Spectroscopic Study of Photochemical Dynamics in Condensed Phase | 229 |
| Theoretical Study of Vibrational States for AINC/AICN | 230 |
| Ultrafast Protein Dynamics Probed by Time-Resolved Resonance Raman Spectroscopy | 230 |
| (b) Molecular Photophysics and Science | 231 |
| Development of a Near-Field Ultrafast Spectroscopy System | 231 |
| (1) Laser Cooling and Trapping of Metastable Helium Atoms | |
| (2) Laser Spectroscopic Studies of Atoms and Ions in Liquid Helium | 231 |
| Structure, Relaxation and Control of Reactive Cluster Studied by Two-Color Laser Spectroscopy | 231 |
| SR-Pump and Laser-Probe Experiments for the Photofragmentation Dynamics of Molecules | 234 |
| Decay and Dissociation Dynamics of Core Excited Molecules | 234 |
| (c) Novel Material Science | 236 |
| Theory for Electronic Properties of Molecular Conductors and Insulators: Dimensional Crossovers Induced by Correlation | 236 |
| Pulsed Methods of Electron Spin Resonance Spectroscopy | 236 |
| Synthesis of Palladium Clusters Stabilized by Molecular Capsules and their Catalytic Properties | 236 |
| Spectroscopic and Physico-Chemical Studies of Organic Conductors | 237 |
| Broad-Line Solid State NMR Investigation of Electronic States in Molecular-Based Conductors | 237 |
| Development of New Organic Conductors and Their Physical Properties | 238 |
| Preparation and Characterization of Highly Ordered Molecular Films on Silicon Bound Through Si-C Covalent Bond | 238 |
| Design and Synthesis of Organic Ferrimagnets | 238 |
| Formation of Nano-Reaction Field and Integration of Bio-Functional Materials on Si | 239 |
| Development of New Materials Based on Fullerene and Carbon Nanotube in Nanometer Scale | 239 |
| Asymmetric Transition Metal Catalysis in Aqueous Media | 239 |
| Heterolytic Cleavage of C-H bond in Alkanes | 240 |

| | |
|---|------------|
| Reductive Activation of Carbon Monoxide derived from Carbon Dioxide and Oxidative Activation of Hydroxy- and Oxo-Groups Derived from Water ----- | 240 |
| Rational Synthesis of Metal-Chalcogenido Clusters ----- | 240 |
| Developments and Researches of New Laser Materials ----- | 241 |
| Development and Research of Advanced Tunable Solid State Lasers ----- | 241 |
| Generation of Reactive Species via Electron Transfer on Metal Complexes, as Basis of Chemical Energy Conversion Systems ----- | 241 |
| Synthesis and Electron-Transport Properties of Perfluorinated Oligonaphthalenes ----- | 242 |
| Slurry Mixer for Bonded Lubricating Films ----- | 242 |
| Investigation of Dynamics on Photo-Excited Solids and Surfaces by Using the Combination of Synchrotron Radiation and Laser ----- | 242 |
| Development of Combined-function Focusing Magnet ----- | 242 |
| Roles of Val-68 on the Oxidation Activity and Enantioselectivity by Sperm Whale Myoglobin ---- | 243 |
| Molecular Mechanism of Oxygen Activation by Metalloenzymes ----- | 243 |
| OKAZAKI CONFERENCE ----- | 245 |
| JOINT STUDIES PROGRAMS ----- | 247 |
| (1) Special Projects ----- | 247 |
| (2) Research Symposia ----- | 251 |
| (3) Cooperative Research ----- | 252 |
| (4) Use of Facility ----- | 252 |
| (5) Invited Research ----- | 252 |
| (6) UVSOR ----- | 252 |
| (7) Use of Facility Program of the Computer Center ----- | 252 |
| FOREIGN SCHOLARS ----- | 253 |
| AWARDS ----- | 257 |
| LIST OF PUBLICATIONS ----- | 261 |
| REVIEW ARTICLES AND TEXTBOOKS ----- | 279 |
| AUTHOR INDEX ----- | 283 |

Abbreviations

IMS: Institute for Molecular Science
GUAS: The Graduate University for Advanced Studies